ELSEVIER

Talanta 56 (2002) 1177–1185

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 56 (2002)

No. 1 **4 January 2002**

Review

Slurry sampling for direct analysis of solid materials by electrothermal atomic absorption spectrometry (ETAAS). A literature review from 1990 to 2000
M.J. Cal-Prieto, M. Felipe-Sotelo, A. Carlosena, J.M. Andrade, P. López-Mahía, S. Muniategui and D. Prada (A Coruna, Spain) 1

Regular papers

Method for the simultaneous determination of total polyphenol and anthocyan indexes in red wines using a flow injection approach
J. González-Rodríguez, P. Pérez-Juan and M.D. Luque de Castro (Córdoba, Spain) 53

A high precision spectrophotometric method for on-line shipboard seawater pH measurements: the automated marine pH sensor (AMpS)
R.G.J. Bellerby (Bergen, Norway; Plymouth, UK), A. Olsen, T. Johannessen (Bergen, Norway) and P. Croot (Texel, The Netherlands) 61

Analytical study of proteinaceous binding media in works of art by gas chromatography using alkyl chloroformates as derivatising agents
J.V. Gimeno-Adelantado, R. Mateo-Castro, M.T. Doménech-Carbó, F. Bosch-Reig, A. Doménech-Carbó, J. De la Cruz-Cañizares and M.J. Casas-Catalán (Valencia, Spain) 71

Non-linear QSAR modeling by using multilayer perceptron feedforward neural networks trained by back-propagation
D. González-Arjona, G. López-Pérez and A. Gustavo González (Seville, Spain) 79

Chemically modified carbon paste electrode for determination of copper(II) by potentiometric method
A. Abbaspour and S.M.M. Moosavi (Shiraz, Iran) 91

Polarographic behaviour and determination of acrivastine in capsules and human urine
H. Abdine and F. Belal (Riyadh, Saudi Arabia) 97

Fast determination of lead in lake sediment samples using electrothermal atomic absorption spectrometry with slurry samples introduction
D. Barałkiewicz (Poznań, Poland) 105

Identification and simultaneous determination of Azorubin, Allura red and Ponceau 4R by differential pulse polarography: application to soft drinks
S. Combeau, M. Chatelut and O. Vittori (Villeurbanne, France) 115

Evaluating the significance threshold in robustness testing. A critical discussion on the influence of time in molecular fluorescence spectrometry
J. Aybar-Muñoz, A.M. García-Campaña and L. Cuadros-Rodríguez (Granada, Spain) 123

Flow injection analysis of nitrite by gas phase molecular absorption UV spectrophotometry
B. Haghighi and A. Tavassoli (Zanjan, Iran) 137
Synthesis and characterization of a new resin functionalized with 2-naphthol-3,6-disulfonic acid and its application for the speciation of chromium in natural water
B.C. Mondal, D. Das and A.K. Das (Burdwan, India) 145
Assessment of phytoplankton class abundance using absorption spectra and chemometrics
L. Moberg, B. Karlberg (Stockholm, Sweden), K. Sørensen and T. Källqvist (Oslo, Norway) 153
Electrochemical identification of metal ions in archaeological ceramic glazes by stripping voltammetry at graphite/polyester composite electrodes
A. Doménech-Carbó (Burjassot, Spain), M.T. Doménech-Carbó, L. Osete-Cortina (València, Spain), J.V. Gimeno-Ade-lantado, F. Bosch-Reig and R. Mateo-Castro (Burjassot, Spain) 161
Off-line optimization of the separation of 2,4-dinitrophenylhydrazones by gas chromatography using chemometric techniques
F.E.O. Suliman (Al-Khod, Oman) 175
A new method of microvolume back-extraction procedure for enrichment of Pb and Cd and determination by flame atomic absorption spectrometry
E. Carasek (Florianopolis, Brazil), J. Wick Tonjes and M. Scharf (Blumenau, Brazil) 185
Determination of oxalate based on its enhancing effect on the oxidation of Mn(II) by periodate
M.E.M. Hassouna and S.A.A. Elsuccary (Beni-Suef, Egypt) 193
Monitoring powder blending in pharmaceutical processes by use of near infrared spectroscopy
M. Blanco, R. Gozález Bañó and E. Bertran (Bellaterra, Spain) 203

Letter to the Editor
Potentiometric sensitivity of epoxy resins to anions
M. Trojanowicz and W. Opara (Warsaw, Poland) 213

Instructions for authors 219

Calendar of forthcoming meetings N1

No. 2 **11 February 2002**

Special Issue: Miniaturization in Analytical Chemistry

Preface
J.P. Kutter (Lyngby, Denmark) 221

Reviews
Electrochemical detection for microscale analytical systems: a review
J. Wang (Las Cruces, NM, USA) 223
Sample pretreatment on microfabricated devices
J. Lichtenberg, N.F. de Rooij and E. Verpoorte (Neuchâtel, Switzerland) 233
Polymer microfluidic devices
H. Becker (Jena, Germany) and L.E. Locascio (Gaithersburg, MD, USA) 267
Arrays in biological and chemical analysis
C.B.V. Christensen (Kongens Lyngby, Denmark) 289

Regular papers
Self-assembled and self-sorted array of chemically active beads for analytical and biochemical screening
H. Andersson, C. Jönsson, C. Moberg and G. Stemme (Stockholm, Sweden) 301

A microfabricated amperometric moisture sensor
X.-L. Su, X. Xingguo, T. Dallas, S. Gangopadhyay, H. Temkin, X. Wang, R. Walulu, J. Li and P.K. Dasgupta (Lubbock, TX, USA) 309
Microchip and capillary electrophoresis for quantitative analysis of hepatitis C virus based on RT-competitive PCR
K.-C. Young, H.-M. Lien, C.-C. Lin, T.-T. Chang, G.-B. Lee and S.-H. Chen (Tainan, Taiwan, ROC) 323
A light detection cell to be used in a micro analysis system for ammonia
R.M. Tiggelaar, T.T. Veenstra, R.G.P. Sanders, J.G.E. Gardeniers, M.C. Elwenspoek and A. van den Berg (Enschede, The Netherlands) 331
Improved performance in silicon enzyme microreactors obtained by homogeneous porous silicon carrier matrix
M. Bengtsson, S. Ekström, G. Marko-Varga and T. Laurell (Lund, Sweden). 341
Towards autonomous environmental monitoring systems
M. Sequeira, M. Bowden, E. Minogue and D. Diamond (Dublin, Ireland) 355
Diffusion coefficient measurements in microfluidic devices
C.T. Culbertson, S.C. Jacobson and J. Michael Ramsey (Oak Ridge, TN, USA) 365

Calendar of forthcoming meetings N7

No. 3 **4 March 2002**

Regular papers
Preconcentration of trace amounts of beryllium in water samples on octadecyl silica cartridges modified by quinalizarine and its determination with atomic absorption spectrometry
Y. Yamini, J. Hassan, R. Mohandesi and N. Bahramifar (Tehran, Iran) 375
The importance of cerium substituted phosphates as cation exchanger—some unique properties and related application potentials
A. Nilchi, A. Khanchi and M. Ghanadi Maragheh (Tehran, Iran). 383
FTIR spectroscopic analyses of the temperature and pH influences on stratum corneum lipid phase behaviors and interactions
M. Mimeault (Lille, France) and D. Bonenfant (Montreal, Canada). 395
Plasma antioxidant capacity determination: comparative evaluation of chemiluminescent and spectrophotometric assays
S. Girotti, E. Ferri, L. Maccagnani, R. Budini and G. Bianchi (Bologna, Italy) 407
Micelle mediated extraction of magnesium from water samples with trizma-chloranilate and determination by flame atomic absorption spectrometry
D.L. Giokas, E.K. Paleologos, P.G. Veltsistas and M.I. Karayannis (Ioannina, Greece) 415
Highly selective assay of proteins in dilute solutions
G. Drochioiu, M. Murariu, I. Mangalagiu and I. Druta (Iasi, Romania) 425
Catalytic spectrophotometric determination of tungsten using the malachite green–Ti(III) redox reaction and a thiocyanate activator
N. Pourreza (Ahvaz, Iran) and I. Mohammadi-Sedehi (Kashan, Iran). 435
Substituent effects on ionisation and ^{13}C NMR properties of some monosubstituted phenols: A potentiometric, spectrophotometric and ^{13}C NMR study
G. Crisponi, M. Casu, V.M. Nurchi, F. Cesare-Marincola, T. Pivetta and R. Silvagni (Cagliari, Italy). 441
A biosensor for monitoring formaldehyde using a new lipophilic tetrathiafulvalene-tetracyanoquinodimethane salt and a polyurethane membrane
R. Kataky, M.R. Bryce, L. Goldenberg, S. Hayes (Durham, UK) and A. Nowak (Warsaw, Poland). 451
Protonation equilibria and solubility of L-cystine
F. Apruzzese, E. Bottari and M.R. Festa (Rome, Italy) 459
Cathodic adsorptive stripping voltammetric determination of nalidixic acid in pharmaceuticals, human urine and serum
M.S. Ibrahim, I.S. Shehatta and M.R. Sultan (Al-Ain, United Arab Emirates) 471
Kinetic methods for the determination of cadmium(II) based on a flow-through bulk optode
C. Sanchez-Pedreño, M.S. García, J.A. Ortuño, M.I. Albero and R. Expósito (Murcia, Spain) 481

Development of 1-(2-pyridylazo)-2-naphthol-modified polymeric membranes for the effective batch pre-concentration and determination of zinc traces with flame atomic absorption spectrometry
D.L. Giokas, E.K. Paleologos, M.I. Prodromidis and M.I. Karayannis (Ioannina, Greece) 491
Spectrofluorimetric determination of nitric oxide at trace levels with 5,6-diamino-1,3-naphthalene disulfonic acid
X. Zhang, H. Wang, S.-C. Liang and H.-S. Zhang (Wuhan, China) 499
Extraction of sodium and potassium perchlorates with benzo-18-crown-6 into various organic solvents. Quantitative elucidation of anion effects on the extraction-ability and -selectivity for Na^+ and K^+
Y. Takeda, A. Yasui, M. Morita and S. Katsuta (Chiba, Japan) 505
Indirect extraction-spectrophotometric determination of 2-(thiocyanomethylthiol)benzothiazole in chrome tanning liquors after its breakdown to 2-mercaptobenzothiazole
L. Hinojosa Reyes, K. Wróbel and K. Wróbel (Guanajuato, Mexico) 515
Sorption behaviour of some chlorophenols in lake aquatic humic matter
J. Peuravuori (Turku, Finland), N. Paaso (Olkiluoto, Finland) and K. Pihlaja (Turku, Finland) 523
Chemiluminescence μTAS for the determination of atropine and pethidine
P.A. Greenwood, C. Merrin, T. McCreedy and G.M. Greenway (Hull, UK) 539
Ruthenium(II) tris(bipyridyl) ion as a luminescent probe for oxygen uptake on the catalyzed oxidation of HSO_3^-
S. Lima, R.L. Bonifácio, G.C. Azzellini and N. Coichev (Sao Paulo, Brazil) 547
Direct determination of salicylamide in serum by matrix isopotential synchronous fluorimetry
J.A.M. Pulgarín and A.A. Molina (Ciudad Real, Spain) 557
Preconcentration of Cr(III), Co(II), Cu(II), Fe(III) and Pb(II) as calmagite chelates on cellulose nitrate membrane filter prior to their flame atomic absorption spectrometric determinations
M. Soylak, U. Divrikli (Kayseri, Turkey), L. Elci (Denizli, Turkey) and M. Dogan (Ankara, Turkey) 565
Spectrofluorimetric determination of acrivastine in spiked human urine and pharmaceuticals
R. Fernández, M.A. Bello, M. Callejón, J.C. Jiménez and A. Guiraúm (Seville, Spain) 571
Carbon fiber cylindrical microelectrode-based detector for the determination of antithyroid drugs
A. Guzmán, L. Agüí, M. Pedrero, P. Yáñez-Sedeño and J.M. Pingarrón (Madrid, Spain) 577

Short communication
Spectroscopic study of dissolved organic sulfur (DOS): a case study of mercaptans
B. Roig, E. Chalmin, E. Touraud and O. Thomas (Alès, France) 585

Calendar of forthcoming meetings N11

No. 4 **11 March 2002**

Regular papers
Chemical separation and ICP–AES determination of 22 metallic elements in U and Pu matrices using cyanex-923 extractant and studies on stripping of U and Pu
A.A. Argekar, M.J. Kulkarni, J.N. Mathur and A.G. Page (Mumbai, India) 591
Kinetic-spectrofluorimetric determination of trace amounts of iridium
B. Tang, F. Han and G.Y. Zhang (Jinan, China) 603
Kinetics of Cerium(IV) Extraction from H_2SO_4–HF Medium with Cyanex 923
W. Liao, G. Yu, S. Yue and D. Li (Changchun, People's Republic of China) 613
Determination of nitrite by sequential injection analysis of electrokinetic flow analysis system
Y.-q. Zhao, Y.-z. He, W.-e. Gan and L. Yang (Anhui, People's Republic of China) 619

Development of tyrosinase biosensor based on pH-sensitive field-effect transistors for phenols determination in water solutions
T.M. Anh (Villeurbanne, France; Hanoi, Viet Nam), S.V. Dzyadevych (Villeurbanne, France; Kiev, Ukraine), A.P. Soldatkin (Kiev, Ukraine; Ecully, France), N. Duc Chien (Hanoi, Viet Nam), N. Jaffrezic-Renault (Ecully, France) andJ.-M. Chovelon (Villeurbanne, France) 627
Stopped-flow fluorimetric determination of amoxycillin and clavulanic acid by partial least-squares multivariate calibration
A. Muñoz de la Peña, M.I. Acedo-Valenzuela, A. Espinosa-Mansilla and R. Sánchez-Maqueda (Badajoz, Spain) . 635
Effect of ethanol in the organic phase on liquid–liquid extraction in monosegmented flow analysis. Determination of zinc in drugs
E. Vidal de Aquino, J.J.R. Rohwedder, I. Facchin and C. Pasquini (Campinas, Brazil) 643
Simplex optimization of ion-pair reversed-phase high performance liquid chromatographic analysis of some heavy metals
S. Srijaranai, R. Burakham (Khon Kaen, Thailand), R.L. Deming (Fullerton, CA, USA) and T. Khammeng (Khon Kaen, Thailand) 655
Determination of sulphonated azo dyes in food by ion-pair liquid chromatography with photodiode array and electrospray mass spectrometry detection
M.-R. Fuh and K.-J. Chia (Taipei, Taiwan, ROC) 663
Precipitation–dissolution system for silver preconcentration and determination by flow injection flame atomic absorption spectrometry
O.D. Sant'Ana (Niteroi, Brazil), A.L.R. Wagener (Rio de Janeiro, Brazil), R.E. Santelli (Niteroi, Brazil), R.J. Cassella (Rio de Janeiro, Brazil), M. Gallego and M. Valcárcel (Cordoba, Spain) 673
Separation of Cr(III) and Cr(VI) in river and reservoir water with 8-hydroxyquinoline immobilized polyacrylonitrile fiber for determination by inductively coupled plasma mass spectrometry
B. Wen, X.-Q. Shan and J. Lian (Beijing, People's Republic of China) 681
Supercritical carbon dioxide extraction equilibrium of gallium(III) with 2-methyl-8-quinolinol and 2-methyl-5-butyloxy-methyl-8-quinolinol
S.-Y. Choi (Mito, Japan), Z. Yoshida (Ibaraki, Japan) and K. Ohashi (Mito, Japan) 689
Simultaneous kinetic determination of Fe(III) and Fe(II) by H-point standard addition method
A. Safavi, H. Abdollahi and M.R. Hormozi nezhad (Shiraz, Iran) 699
The effect of surfactant micelles on the dissociation constants and transition points and transition intervals of acid–base indicators
Z. Yuanqin, L. Fan, L. Xiaoyan and L. Jing (Leshan, People's Republic of China) 705
Determination of trace amounts of germanium by flow injection hydride generation atomic fluorescence spectrometry with on-line coprecipitation
S. Jianbo, T. Zhiyong (Wuhan, People's Republic of China), T. Chunhua (Guangzhou, People's Republic of China), C. Quan and J. Zexiang (Wuhan, People's Republic of China) 711
Application of different analytical methods for determination of volatile chlorination by-products in drinking water
A.D. Nikolaou, T.D. Lekkas, S.K. Golfinopoulos and M.N. Kostopoulou (Mytilene, Greece) 717
Analysis of phenylurea herbicides from plants by GC/MS
F. Peña, S. Cárdenas, M. Gallego and M. Valcárcel (Córdoba, Spain) 727
Preconcentration of lead with Amberlite XAD-2 and Amberlite XAD-7 based chelating resins for its determination by flame atomic absorption spectrometry
P.K. Tewari and A.K. Singh (New Delhi, India) 735
Specific determination of cysteine and penicillamine through cyclization to 2-thioxothiazolidine-4-carboxylic acids
V. Amarnath and K. Amarnath (Nashville, TN, USA) 745
Determination of cadmium in water by ICP-AES with on-line adsorption preconcentration using DPTH-gel and TS-gel microcolumns
M. Zougagh, A.García de Torres and J.M. Cano Pavón (Málaga, Spain) 753
Impedance based DNA chip for direct T_m measurement
C.A. Marquette, I. Lawrence, C. Polychronakos and M.F. Lawrence (Montreal, Canada) 763

Potentiometric titrations in acetonitrile–water mixtures: evaluation of aqueous ionisation constant of ketoprofen
M.Á. Herrador and A.G. González (Seville, Spain) 769
Design of a field flow preconcentration system for cadmium determination in seawater by flow-injection-atomic absorption spectrometry
M.C. Yebra, A. García, N. Carro, A. Moreno-Cid and L. Puig (Santiago de Compostela, Spain) 777
Automation of the standard additions method in flame atomic absorption spectrometry
I. López-García, P. Viñas, J. Gonzálvez and M. Hernández-Córdoba (Murcia, Spain) 787

Short communication
Solid phase extraction and graphite furnace atomic absorption spectrometric determination of ultra trace amounts of bismuth in water samples
Y. Yamini, M. Chaloosi and H. Ebrahimzadeh (Tehran, Iran) 797

Calendar of forthcoming meetings N15

No. 5 **1 April 2002**

***Special Issue*: Electrochemistry of Nucleic Acids and Development of Electrochemical DNA Sensors**

Obituary
Geoffrey Cecil Barker 1915–2000
E. Paleček, M. Heyrovský (Brno, Czech Republic) and J. Heyrovský (Prague, Czech Republic) 805

Preface 807

Review paper
Past, present and future of nucleic acids electrochemistry
E. Paleček (Brno, Czech Republic) 809

Regular papers
Electrochemical sensor for detection of unmodified nucleic acids
N.D. Popovich, A.E. Eckhardt, J.C. Mikulecky, M.E. Napier and R.S. Thomas (Research Triangle Park, NC, USA) 821
Electrochemical analysis of single nucleotide polymorphisms of p53 gene
H. Miyahara, K. Yamashita (Fukuoka, Japan), M. Kanai, K. Uchida (Tsukuba, Japan), M. Takagi (Fukuoka, Japan),
H. Kondo (Iizuka, Japan) and S. Takenaka (Fukuoka, Japan) 829
Electrochemical DNA biosensor for the detection of TT and Hepatitis B virus from PCR amplified real samples by using methylene blue
B. Meric, K. Kerman, D. Ozkan, P. Kara, S. Erensoy, U.S. Akarca (Izmir, Turkey), M. Mascini (Fiorentron, Italy) and M. Ozsoz (Izmir, Turkey) 837
Amplified detection of single-base mismatches in DNA using microgravimetric quartz-crystal-microbalance transduction
I. Willner, F. Patolsky, Y. Weizmann and B. Willner (Jerusalem, Israel) 847
DNA sensors using a ferrocene-oligonucleotide conjugate
M. Nakayama (Fukuoka, Japan), T. Ihara (Kumamoto, Japan), K. Nakano and M. Maeda (Fukuoka, Japan) 857
Voltammetric microanalysis of DNA adducts with osmium tetroxide,2,2′-bipyridine using a pyrolytic graphite electrode
M. Fojta, L. Havran, R. Kizek and S. Billová (Brno, Czech Republic) 867

Solid composite electrodes for DNA enrichment and detection
J. Schülein, B. Graßl, J. Krause, C. Schulze, C. Kugler, P. Müller, W.M. Bertling and J. Hassmann (Erlangen, Germany) 875
Electrochemical behavior of DNA at a silver electrode studied by cyclic and elimination voltammetry
L. Trnková (Brno, Czech Republic) 887
Peculiarities of the DNA hybridization on the surface of bilayer lipid membranes
M. Fajkus and T. Hianik (Bratislava, Slovak Republic) 895
Interaction of DNA with echinomycin at the mercury electrode surface as detected by impedance and chronopotentiometric measurements
S. Hasoň, J. Dvořák, F. Jelen and V. Vetterl (Brno, Czech Republic) 905
Voltammetry of two single-stranded isomeric end-labeled –SH deoxyoligonucleotides on mercury electrodes
R. Kizek, L. Havran, T. Kubičárová (Brno, Czech Republic), B. Yosypchuk and M. Heyrovský (Prague, Czech Republic) 915
DNA hybridization at microbeads with cathodic stripping voltammetric detection
E. Paleček, S. Billová, L. Havran, R. Kizek, A. Mičulková and F. Jelen (Brno, Czech Republic) 919
Genomagnetic electrochemical assays of DNA hybridization
J. Wang, D. Xu, A. Erdem, R. Polsky and M.A. Salazar (Las Cruces, NM, USA) 931
Detection of damage to DNA and antioxidative activity of yeast polysaccharides at the DNA-modified screen-printed electrode
M. Bučková, J. Labuda, J. Šandula, L. Križková (Bratislava, Slovak Republic), I. Štěpánek (Prešov-L'ubotice, Slovak Republic) and Z. Ďuračková (Bratislava, Slovak Republic) 939
Electrochemical DNA biosensor as a screening tool for the detection of toxicants in water and wastewater samples
F. Lucarelli, I. Palchetti, G. Marrazza and M. Mascini (Firenze, Italy) 949
Electrochemical detection of in situ adriamycin oxidative damage to DNA
A.M. Oliveira-Brett, M. Vivan, I.R. Fernandes and J.A.P. Piedade (Coimbra, Portugal) 959

Short communication
Cathodic stripping voltammetry of cysteine using silver and copper solid amalgam electrodes
B. Yosypchuk and L. Novotný (Prague, Czech Republic) 971

Calendar of forthcoming meetings N19

No. 6 **8 April 2002**

Regular papers
Superheated water eluent capillary liquid chromatography
T. Scott Kephart and P.K. Dasgupta (Lubbock, TX, USA) 977
Estimation of crude oil grade using time-resolved fluorescence spectra
E. Hegazi and A. Hamdan (Dhahran, Saudi Arabia) 989
Application of amperometric sol–gel biosensor to flow injection determination of glucose
C.M.C.M. Couto (Porto, Paredes, Portugal), A.N. Araújo, M.C.B.S.M. Montenegro (Porto, Portugal), J. Rohwedder, I. Raimundo and C. Pasquini (Campinas, Brazil) 997
Fast flow-injection fluorimetric determination of amiloride by using a solid sensing zone
A. Domínguez-Vidal, P. Ortega-Barrales and A. Molina-Díaz (Jaén, Spain) 1005
The use of polyethyleneimine for fabrication of potentiometric cholinesterase biosensors
K. Reybier (Besancon, France), S. Zairi, N. Jaffrezic-Renault (Ecully, France) and B. Fahys (Besancon, France) 1015
Fluorimetric determination of alkaline phosphatase in solid and fluid dairy products
J. Fenoll (Murcia, Spain), G. Jourquin and J.-M. Kauffmann (Brussels, Belgium) 1021

Nicotine derivative optode membrane with nonactin as ionophore
M.M.F. Choi, K.O.P. Chung and X. Wu (Hong Kong, People's Republic of China) 1027
A study of robustness with multivariate calibration. Application to the polarographic determination of benzalde-hyde
M.B. Sanz, L.A. Sarabia, A. Herrero and M.C. Ortiz (Burgos, Spain) 1039
Aromatic compounds in molecular phase of Baltic amber—synchronous luminescence analysis
A. Matuszewska and M. Czaja (Sosnowiec, Poland) 1049
The speciation of rhodium(III) in hydrochloric acid media by capillary zone electrophoresis
J.M. Sánchez (Brno, Czech Republic; Girona, Spain), M. Hidalgo (Girona, Spain), J. Havel (Brno, Czech Republic) and V. Salvadó (Girona, Spain) 1061
Linear sweep voltammetric determination of protein based on its interaction with Alizarin Red S
W. Sun and K. Jiao (Qingdao, People's Republic of China) 1073
Studies of the electrochemical behavior of epinephrine at a homocysteine self-assembled electrode
H.-M. Zhang, X.-L. Zhou, R.-T. Hui, N.-Q. Li and D.-P. Liu (Beijing, People's Republic of China) 1081
Gallium extraction by microemulsions
T.N. de Castro Dantas, M.H. de Lucena Neto and A.A. Dantas Neto (Natal (RN), Brazil). 1089
Design, synthesis, and characterization of a calcium-sensitive near infrared dye
A.L. Ellis, J. Christian Mason, H.-W. Lee, L. Strekowski, G. Patonay, H. Choi and J.J. Yang (Atlanta, GA, USA) 1099
Determination of urinary lead, cadmium and nickel in steel production workers
C.-J. Horng, J.-L. Tsai, P.-H. Horng, S.-C. Lin, S.-R. Lin and C.-C. Tzeng (Kaohsiung, Taiwan) 1109
Optosensing properties of *fac*-$Re(CO)_3$(dpknph)Cl (dpknph = di-2-pyridyl ketone *p*-nitrophenyl hydrazone) toward chemotactic *N*-formylamino acids
M. Bakir and C. Gyles (Kingston, Jamaica). 1117
Direct determination of germanium in botanical samples by graphite furnace atomic absorption spectrometry with palladium–zirconium as chemical modifier
L.-l. Yang and D.-q. Zhang (Baoding, People's Republic of China) 1123
Myoglobin in polyacrylamide hydrogel films: direct electrochemistry and electrochemical catalysis
L. Shen, R. Huang and N. Hu (Beijing, People's Republic of China) 1131
High-performance liquid chromatography of sulfonamides and quinolones on *p-tert*-butyl-calix[6]arene-bonded silica gel stationary phase
Y.-X. Xiao, X.-Z. Xiao, Y.-Q. Feng, Z.-H. Wang and S.-L. Da (Wuhan, People's Republic of China) 1141
Characterization of antibodies against benzo[*a*]pyrene with thermodynamic and kinetic constants
K. Länge (Tübingen, Germany), G. Griffin, T. Vo-Dinh (Oak Ridge, TN, USA) and G. Gauglitz (Tübingen, Germany). 1153

Short communication
Fast and highly selective determination of cyanide with 2,2-dihydroxy-1,3-indanedione
G. Drochioiu (Iasi, Romania) 1163

Erratum
Erratum to "Votammetric behavior of vitamin B_2 on the gold electrode modified with a self-assembled monolayer of L-cysteine and its application for the determination of vitamin B_2 using linear sweep stripping voltammetry [Talanta 55 (2001) 459–467]
W. Qijin, Y. Nianjun, Z. Haili, Z. Xinpin and X. Bin (Huangshi, People's Republic of China) 1167

Announcements
Stable Isotopes Week 1169
ISBOMC'02—First International Symposium on Bioorganometallic Chemistry Structure, Reactivity, Biological Applications and Future Perspectives: Ecole Nationale Supérieure de Chimie, 11, rue Pierre et Marie Curie, F-75005 Paris, France . . . 1171
MRFOOD—6th International Conference on Applications of Magnetic Resonance in Food Science. 1173

Instructions for authors 1175
Volume contents 1177
Author index 1187
Subject index 1191
Calendar of forthcoming events N23